

玛钢管件

美 标

150磅玛钢管件














材 质: ASTM A-197, ASTM A47
外形尺寸: ASME B16.3, B16.14 UNION B16.39
螺 纹: ANSI B1.20.1
可供规格: 1/8"-6"

MALLEABLE IRON PIPE FITTING

AMERICAN STANDARD

150 PSI MALLEABLE IRON PIPE FITTING

MATERIAL: ASTM A-197, ASTM A47
DIMENSIONS: ASME B16.3, B16.14
UNION DIMENSIONS: B16.39
THREADS: ANSI B1.20.1
SIZE AVAILABLE: 1/8"-6"

	90	Elbow, 90°		240	Reducing Socket
	90R	Elbow, 90° reducing		241	Bushing, outside head
	90U	180° Return Elbow		241N	Bushing, inside head
	92	Street Elbow, 90°		280	Hexagon Nipple, equal
	92L	Extended Street Elbow		291	Plug, cored
	120	Elbow, 45°		291S	Plug, solid
	121	Street Elbow, 45°, equal		291N	Plug, countersunk
	130 (同径)	Tee		291-4	Plug, bar head
	130R (侧大)	Tee, reducing		300	Cap
	130R (中小)	Tee, reducing		310	Locknut
	130R (中大)	Tee, reducing		321	Round Flange, with 4 bolt holes
	130R (异径)	Tee, reducing		321W	Round Flange, without bolt hole
	130R (侧小)	Tee, reducing		342	Union, conical joint, brass to iron seat
	T130	Tee		1221	Side Outlet Elbow, beaded
	134	Service Tee		1223	Side Outlet Tee
	165	Lateral Y Branches, 45°			
	180	Cross			
	180R	Cross, reducing			
	220	Socket			

玛钢管件

MALLEABLE IRON PIPEFITTING

美 标
300磅玛钢管件

AMERICAN STANDARD
300 PSI MALLEABLE IRON PIPE FITTING

材 质: ASTM A-197, ASTM A47
外形尺寸: ASME B16.3, B16.14 B16.39
螺 纹: ANSI B1.20.1
可供规格: 1/4"-4"

MATERIAL: ASTM A-197, ASTM A47
DIMENSIONS: ASME B16.3, B16.14
UNION DIMENSIONS: B16.39
THREADS: ANSI B1.20.1
SIZE AVAILABLE: 1/4"-4"



90 Elbow, 90°



90R Elbow, 90° reducing



92 Street Elbow, 90°



120 Elbow, 45°



121 Street Elbow, 45°



130 (同径) Tee



130R Tee, reducing



220 Socket




240 Reducing Socket



300 Cap



342 Union, conical joint, brass to iron seat



玛钢管件

德 标











材 质: ASTM A-197, ASTM A47
 外形尺寸: ISO49, DIN2985, DIN EN10242
 螺 纹: ISO7/1
 可供规格: 1/8" - 6"

	1# Bend 90°, male and female		98 Union Elbow, M&F, conical joint iron to iron
	1A Short bend 90°, male and female		120 Elbow, 45°
	2# Bend 90°, female		121 Street elbow, 45°
	2A Short bend 90°, female		130 (同径) Tee
	3# Bend 90°, male		130R (中小) Tee, reducing
	40 Bend 45°, male and female		130R Tee, reducing
	41 Bend 45°, female		131 Pitcher Tee, equal 90°
	85 Crossover		132 Twin Elbow, equal
	90 Elbow, 90°		133 Tee, equal
	90R Elbow, 90°, reducing		134 Tee, equal
	90U Return Bend		135 Tee, equal
	92 Street Elbow, 90°		165 Lateral Y branch, 45°
	92R Street elbow, 90°, reducing		180 Cross
	94 Elbow, 90°, male		180R Cross, reducing
	95 Union Elbow, F&F, flat without gasket		240 Socket reducing
	95D Union Elbow, flat seat with gasket		241 Bushing
	96 Union Elbow, F&F, conical joint iron to iron		241D Bushing
	97 Union Elbow, M&F, flat seat without gasket		245 Hexagon Nipple, reducing
	97D Union Elbow, M&F, flat seat with gasket		246 Extension piece, sockets M&F, reducing

MALLEABLE IRON PIPE FITTING

EN STANDARD

MATERIAL: ASTM A-197, ASTM A47
DIMENSIONS: ISO49, DIN2950, DIN En10242
THREADS: ISO7/1
SIZE AVAILABLE: 1/8" - 6"

	270	Socket, parallel threads, equal
	271	Socket, right & left hand thread
	280	Hexagon Nipple, equal
	290	Plug, beaded
	291	Plug, plain
	292	Special Plug
	300	Hexagon Cap
	301	Round Cap
	310, 312	Backnut
	321	Round Flange, with 4 bolt holes
	321w	Round Flange, without bolt hole
	330	Union, flat seat, hexagon, without gasket
	330D	Union, flat seat, hexagon, with gasket
	T330	Special Union
	331	Union, M&F, flat seat, without gasket
	331D	Union, M&F, flat seat, with gasket
	340	Union, conical joint, iron to iron seat
	341	Union, M&F, conical joint, iron to iron seat
	342	Union, conical joint, brass to iron seat

	344	Union, M&M, taper seat
	345	Union, M&F, flat seat
	346	Union, flat seat
	370	Union Bush Flat Seat
	371	Union Tail Piece (Part of 331)
	372	Union Tail Piece (Part of 330)
	374	Union nut
	471	Bracket Elbow
	526	Extension Tube
	529A	Extension Long Piece
	531	Nipple
	596	Plug, hexagon/square inside
	1221	Said Outlet Elbow
	1223	Side Outlet Tee
	2220	Y-Piece
	9015	Drinking Nipple, 105°
	9030	Drinking Nipple, 120°
	9045	Drinking Nipple, 135°

玛钢管件























英 标

材 质: ASTM A-197, ASTM A47
 外型尺寸: BS EN 10242, BS 143&1256
 螺 纹: ISO7/1
 可供规格: 1/8" - 6"

MALLEABLE IRON PIPE FITTING






































BRITISH STANDARD

MATERIAL: ASTM A-197, ASTM A47
 DIMENSIONS: BS EN 10242, BS 143&1256
 THREADS: ISO7/1
 SIZE AVAILABLE: 1/8" - 6"

	90	Elbow, 90°		280	Hexagon Nipple, equal
	90R	Elbow, 90°, reducing		291	Plug
	92	Street Elbow, 90°		300	Cap
	96	Union Elbow F & F, conical joint iron to iron		310	Locknut
	98	Union Elbow M & F, conical joint iron to iron		321-4	Flange BS 4504
	120	Elbow, 45°		321-6	Flange 1600/4
	130 (同径)	Tee		321-H	Flange
	130R (中小)	Tee, reducing		321P	Flange DRP D
	130R (中大)	Tee, reducing		321PW	Flange, U/D
	130R (侧大)	Tee, reducing		321TD	Flange, BS Table D
	130R (侧小)	Tee, reducing		330	Union, flat seat, hexagon, without gasket
	130R (异径)	Tee, reducing		340	Union, conical joint, iron to iron seat
	134	Service Tee, equal		341	Union, M & F, conical joint iron to iron seat
	165	Lateral Y Branches, 45°		342	Union, conical joint, brass to iron seat
	180	Cross		529A	Extension pieces (sockets M & F), Equal
	180R	Cross, reducing		529X	Extension Short Piece
	220	Socket		1221	Side Outlet Elbow
	240	Socket, reducing		1223	Side Outlet Tee
	241	Bushing		1224	Side Outlet Tee
	270	Socket, parallel threads		SCC	Short Body Coupling
	271	Coupling, left & right		TCC	Compression Tee
				LCC	Long Body Coupling

玛钢 框架连接件

MALLEABLE IRON PIPECLAMP FITTING

	101 Short Tee		149 Sleeve Joint
	104 Long Tee		150 Internal Joint
	116 3 Way Through		158 Four Way Cross
	119 Two Socket Cross		160 Clamp On Cross Over
	124 Variable Elbow		161 90° Cross Over
	125 90° Two Way Elbow		165 Combination Socket
	128 90° Three Way Elbow		167 Double Swivel Comb
	129 Adjustable Short Tee		167M Double Male Inline Swivel
	131 Base Flange		168 Corner Swivel
	132 Railing Base Flange		168M 90° Male Corner Swivel
	134 Ground Socket		169 Swivel Base
	135 Clamp on Tee		169M Male Swivel Locating Flange
	138 Gate Eye		173 Single Swivel
	140 Gate Hinge		173M Single Male Swivel
	143 Hand Rail Bracket		173F Female Swivel
	144 Railing Size S.V. Base		176 Side Outlet Tee
	145 Railing Size Support		179 Locking Collar
	146 Side Palm Fixing		198
	147 Internal Swivel Tee		199 Adjustable Fixing Bracket
	148 Short Tee Swivel		